

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L338441-11-80210102-3
Report Reference E338441-20101208
Date 8-Apr-2022

Issued to: LS ELECTRIC Co Ltd
95 Baekbong-ro Heungdeok-gu Cheongju-si,
Chungcheongbuk-do 28439
Republic of Korea

**This is to certify that
representative samples of**

PAQF - Accessories, Low-voltage Power-switching Devices
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: NEMA C37.50, 1st Ed., Issue Date: 2012-01-01, UL 1066,
4th Ed., Issue Date: 2012-04-13, Revision Date: 2017-03-
22, IEEE C37.13, 1st Ed., Issue Date: 2015-12-05

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L338441-11-80210102-3
Report Reference E338441-20101208
Date 8-Apr-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
46513451003	Lifting Hook
52773460271	UVT delay controllers
52773460272	UVT delay controllers
52773460273	UVT delay controllers
52773460274	UVT delay controllers
54623460001	Key lock frame
55223460402	Long type handle
56123460501	Rack-in interlock (drawout circuit breaker)
56123460502	Mechanical interlocks (drawout circuit breaker)
56123460503	Mechanical interlocks (drawout circuit breaker)
56123460504	Door interlock (drawout circuit breaker)
56773460002	Button lock for circuit breaker
56773460004	Button lock for circuit breaker
56773460005	Button lock for circuit breaker
61073466401	Safety shutters (drawout circuit breaker)
61073466402	Safety shutters (drawout circuit breaker)
61073466403	Safety Shutter
61073466404	Safety Shutter
61073466405	Safety Shutter
61073466406	Safety Shutter
61073467401	Safety shutters (drawout circuit breaker)
61073467402	Safety shutters (drawout circuit breaker)
61073467403	Safety Shutter
61073467404	Safety Shutter
61073467405	Safety Shutter
61073467406	Safety Shutter
61073468403	Safety shutters (drawout circuit breaker)
61073468404	Safety shutters (drawout circuit breaker)
61073468405	Safety Shutter
61073468406	Safety Shutter
61073468407	Safety Shutter
61073468408	Safety Shutter
62363461607	Terminal Connection
62363461801	Bus Connection Kit
62363461802	Bus Connection Kit
62363462610	Terminal Connection
62363463607	Terminal Connection



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L338441-11-80210102-3
Report Reference E338441-20101208
Date 8-Apr-2022

62363464612	Terminal Connection
62363466701	Terminal Connection
62363466702	Terminal Connection
62363466703	Terminal Connection
62363466704	Terminal Connection
62363466705	Terminal Connection
62363466706	Terminal Connection
62363466707	Terminal Connection
62363466708	Terminal Connection
62363466709	Terminal Connection
62363466710	Terminal Connection
62363466711	Terminal Connection
62363466712	Terminal Connection
62363466713	Terminal Connection
62363466714	Terminal Connection
62363467701	Terminal Connection
62363467702	Terminal Connection
62363467703	Terminal Connection
62363467704	Terminal Connection
62363467705	Terminal Connection
62363467706	Terminal Connection
62363467707	Terminal Connection
62363467708	Terminal Connection
62363467709	Terminal Connection
62363467710	Terminal Connection
62363467711	Terminal Connection
62363467712	Terminal Connection
62363467713	Terminal Connection
62363467714	Terminal Connection
62363468701	Terminal Connection
62363468702	Terminal Connection
62363468703	Terminal Connection
62363468704	Terminal Connection
62363468705	Terminal Connection
62363468706	Terminal Connection
62503466401	Cell position switches (drawout circuit breaker)
62503466402	Cell position switches (drawout circuit breaker)
64623460501	Dust cover
64723460501	Door frame
72313460151 - 72313460154	Charging motors
72313460251- 72313460254	Charging motors
72313460284	Voltage divide module
72313460373	Trio unit



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L338441-11-80210102-3
Report Reference E338441-20101208
Date 8-Apr-2022

72313460374	Voltage divide module
72313460552	Counter
72313460553	Key lock for circuit breakers
72313460554	Key lock for circuit breakers
72313460555	Key lock for circuit breakers
72313460558	Ready to close switch
72313460559	Mechanical operated cell switch, standard type (drawout circuit breaker)
72313460659	Mechanical operated cell switch , high capacity type (drawout circuit breaker)
72313460713	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460714	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460715	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460716	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460717	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460718	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460719	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460720	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460721	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460722	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460723	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460724	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460725	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460726	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460727	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460728	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460729	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460730	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L338441-11-80210102-3
Report Reference E338441-20101208
Date 8-Apr-2022

72313460731	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460732	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460733	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460734	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460735	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460736	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460737	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460744	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460745	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460746	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460747	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460748	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460749	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460750	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460751	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460752	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460753	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460754	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460755	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460756	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460757	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460758	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460759	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L338441-11-80210102-3
Report Reference E338441-20101208
Date 8-Apr-2022

72313460760	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460761	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460762	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460763	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460764	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460765	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460766	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460767	Rating Plug for Trip Unit referenced in E326950, Vol.3, Sec.2
72313460861	Profalux key
72313460862	Kirk key lock for circuit breakers
72313460863	Kirk key lock for circuit breakers
72313460864	Kirk key lock for circuit breakers
72313460901	Kirk key lock for circuit breakers
72313460902	Key lock frame
72313460904	Kirk Key (drawout circuit breaker)
72313460905	Key Lever
72313461271	Aux switches (high capacity type)
72313461272	Aux switches (high capacity type)
72313461281 - 72313461285	Aux switches (standard type)
72313461286 - 72313461288	Aux switches (high capacity type)
72313461289	Aux switches (standard type)
72313461290	Aux switches (standard type)
72313463281 - 72313463285	Aux switches (standard type)
72313463286 - 72313463288	Aux switches (high capacity type)
73263466351	Rating Plug
73263466352	Rating Plug
73263466353	Rating Plug
73263466354	Rating Plug
73263466355	Rating Plug
73263466356	Rating Plug
73263466357	Rating Plug
73263466358	Rating Plug
73263466359	Rating Plug
73263466360	Rating Plug
73263466361	Rating Plug
73263466362	Rating Plug
73263466363	Rating Plug



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L338441-11-80210102-3
Report Reference E338441-20101208
Date 8-Apr-2022

73263466364	Rating Plug
73263466365	Rating Plug
73263466366	Rating Plug
73263466367	Rating Plug
73263466371	Rating Plug
73263466372	Rating Plug
73263466373	Rating Plug
73263466374	Rating Plug
73263466375	Rating Plug
73263466376	Rating Plug
73263466377	Rating Plug
73263466378	Rating Plug
73263466379	Rating Plug
73263466380	Rating Plug
73263466381	Rating Plug
73263466382	Rating Plug
73263466383	Rating Plug
73263466384	Rating Plug
73263466385	Rating Plug
73263466386	Rating Plug
73263466387	Rating Plug
76613460001	Thermo sensors
76613465001	Thermo sensors
77123466501	NCT module for circuit breaker
84113460501	Miss insert protection (drawout circuit breaker)



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

