Certificate Number
 UL-US-2002064-1

 Report Reference
 E496228-20200831

Date 19-Dec-2020

Issued to: LS ELECTRIC Co Ltd

95 Baekbong-ro Heungdeok-gu Cheongju-si,

Chungcheongbuk-do, Republic of Korea 28439

This is to certify that representative samples of

WUTZ - Switchgear Assemblies, Metal Enclosed, Low-

voltage-power Circuit-breaker Type

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1558, 5th Ed., Issue Date: 2016-02-18, Revision Date:

2019-11-06, IEEE C37.20.1, 1st Ed., Issue Date: 2015-03-

26


Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program




Certificate Number UL-US-2002064-1

Report Reference E496228-20200831

Date 19-Dec-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
USG, Metal Enclosed Low Voltage Power Circuit	Low Voltage Metal Enclosed Switchgear
Breaker Switchgear, Model USG, followed by "-",	Assemblies
followed by 25, 50 or 63, followed by N, followed by 100,	プレス プレス プレス プレス プレス コ
followed by G, followed by 32, 40, 50 or 60, followed by	
32, 40, 50 or 60.	
USG, followed by "-", followed by 25, 50 or 63, followed	Low Voltage Metal Enclosed Switchgear
by N, followed by 10, followed by G, followed by 32, 40,	Assemblies
50 or 60, followed by 32N, 40N, 50N, 50F or 60F.	$\times$ $\times$ $\times$ $\times$ $\times$
USG, followed by "-", followed by 25, 50 or 63, followed	Low Voltage Metal Enclosed Switchgear
by A, followed by 10, followed by G, followed by 32, 40,	Assemblies
50 or 60, followed by 32N, 40N, 50N, 50F or 60F.	





 Certificate Number
 UL-CA-2007318-0

 Report Reference
 e496228-20200831

Date 19-Dec-2020

Issued to: LS ELECTRIC Co Ltd

95 Baekbong-ro Heungdeok-gu Cheongju-si,

Chungcheongbuk-do, Republic of Korea 28439

This is to certify that representative samples of

WUTZ7 - Switchgear Assemblies, Metal Enclosed, Low-voltage-power Circuit-breaker Type Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 31-18, 11th Ed., Issue Date: 2018-01-01

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program



Certificate Number UL-CA-2007318-0 Report Reference e496228-20200831

Date 19-Dec-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
USG, Metal Enclosed Low Voltage Power Circuit	Low Voltage Metal Enclosed Switchgear
Breaker Switchgear, Model USG, followed by "-",	Assemblies
followed by 25, 50 or 63, followed by N, followed by 100,	<b>「上八~上八~上八~上八~</b>
followed by G, followed by 32, 40, 50 or 60, followed by	
32, 40, 50 or 60.	
USG, followed by "-", followed by 25, 50 or 63, followed	Low Voltage Metal Enclosed Switchgear
by N, followed by 10, followed by G, followed by 32, 40,	Assemblies
50 or 60, followed by 32N, 40N, 50N, 50F or 60F.	$\times$ $\times$ $\times$ $\times$ $\times$
USG, followed by "-", followed by 25, 50 or 63, followed	Low Voltage Metal Enclosed Switchgear
by A, followed by 10, followed by G, followed by 32, 40,	Assemblies
50 or 60, followed by 32N, 40N, 50N, 50F or 60F.	

