Certificate Number UL-US-2129639-1 Report Reference E468323-20210528

> Date 20-Apr-2022

LS ELECTRIC Co Ltd Issued to:

95 Baekbong-ro Heungdeok-gu Cheongju-si,

Chungcheongbuk-do 28439

Republic of Korea

This is to certify that representative samples of DLAH2 - Circuit Breakers and Metal-clad Switchgear Over

1000 Volts - Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: NEMA C37.55:2020, Issue Date: 2020-02-24, IEEE

C37.20.2A, Issue Date: 2020-03-05, NEMA C37.54, Issue

Date: 2002-01-01


Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Director North American Certification Program

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at https://ul.com/aboutul/locations/




 Certificate Number
 UL-US-2129639-1

 Report Reference
 E468323-20210528

Date 20-Apr-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
UVCH, followed by -, followed by 05 or 15, followed by H, followed by 25, 32, 40 or 50, followed by A, or C or L, followed by 12, 20, or 30 or 40, followed by "-", followed by A, may followed by 1 or 2, followed by 35 or 45, may be followed by 6, 67,	Medium Voltage AC Power Circuit Breakers, compartment
678 or 68, may be followed by 9, may be followed by A, B, C, D, E, F, G or H, may be followed by "EXP" or "EXPS".	
UVCH, followed by -, followed by 05 or 15, followed by L, followed by 25, 32, 40 or 50, followed by A, or C or L, followed by 12, 20, or 30 or 40, followed by "-", followed by A, may followed by 1 or 2, followed by 3 or 4, may followed by 5, may be	Medium Voltage AC Power Circuit Breakers, cradle
followed by 9, may be followed by A, B, C, D, E, F, G or H, may be followed by "EXP" or "EXPS"	
UVCM followed by -, followed by 05 or 15, followed by H, followed by 25, 32, 40 or 50, followed by A, or C or L, followed by 12, 20, or 30 or 40, followed by "-", followed by A, may followed by	Medium Voltage AC Power Circuit Breakers, compartment
1 or 2, followed by 35 or 45, may be followed by 6, 67, 678 or 68, may be followed by 9, may be followed by A, B, C, D, E, F, G or H, may be followed by "EXP" or "EXPS".	
UVCM, followed by -, followed by 05 or 15, followed by L, followed by 25, 32, 40 or 50, followed by A, or C or L, followed by 12, 20, or 30 or 40, followed by "-", followed by A, may followed by	Medium Voltage AC Power Circuit Breakers, cradle
1 or 2, followed by 3 or 4, may followed by 5, may be followed by 9, may be followed by A, B, C, D, E, F, G or H, may be followed by "EXP" or "EXPS"	





Certificate Number UL-CA-2124623-1

Report Reference E468323-20210528

Date 20-Apr-2022

Issued to: LS ELECTRIC Co Ltd

95 Baekbong-ro Heungdeok-gu Cheongju-si,

Chungcheongbuk-do 28439

Republic of Korea

This is to certify that representative samples of

DLAH8 - Circuit Breakers and Metal-clad Switchgear Over

750 Volts Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CSA C22.2 NO. 31-18, 11th Ed., Issue Date: 2018-01-01


Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutu/locations/



 Certificate Number
 UL-CA-2124623-1

 Report Reference
 E468323-20210528

Date 20-Apr-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
UVCH, followed by -, followed by 05 or 15, followed by H, followed by 25, 32, 40 or 50, followed by A, or C or L, followed by 12, 20, or 30 or 40, followed by "-", followed by A, may followed by 4, may followed by 12, 25, and 5, and	Medium Voltage AC Power Circuit Breakers, compartment
1 or 2, followed by 35 or 45, may be followed by 6, 67, 678 or 68, may be followed by 9, may be followed by A, B, C, D, E, F, G or H, may be followed by "EXP" or "EXPS".	
UVCH, followed by -, followed by 05 or 15, followed by L, followed by 25, 32, 40 or 50, followed by A, or C or L, followed by 12, 20, or 30 or 40, followed by "-", followed by A, may followed by 1 or 2, followed by 3 or 4, may followed by 5, may be	Medium Voltage AC Power Circuit Breakers, cradle
followed by 9, may be followed by A, B, C, D, E, F, G or H, may be followed by "EXP" or "EXPS"	
UVCM followed by -, followed by 05 or 15, followed by H, followed by 25, 32, 40 or 50, followed by A, or C or L, followed by 12, 20, or 30 or 40, followed by "-", followed by A, may followed by	Medium Voltage AC Power Circuit Breakers, compartment
1 or 2, followed by 35 or 45, may be followed by 6, 67, 678 or 68, may be followed by 9, may be followed by A, B, C, D, E, F, G or H, may be followed by "EXP" or "EXPS".	
UVCM, followed by -, followed by 05 or 15, followed by L, followed by 25, 32, 40 or 50, followed by A, or C or L, followed by 12, 20, or 30 or 40, followed by "-", followed by A, may followed by	Medium Voltage AC Power Circuit Breakers, cradle
1 or 2, followed by 3 or 4, may followed by 5, may be followed by 9, may be followed by A, B, C, D, E, F, G or H, may be followed by "EXP" or "EXPS"	

