

Appendix 1

Product Description and/or Approval Condition

Certificate No : TJN00429-EL009

Date of Approval : 5th December, 2000.

Product Description :

Type	Rated Capacity(kW) & Current(A)						Continuous Current (lth)
	3 phase Squirrel Motor (Duty : AC 3)				3 phase Squirrel Motor Inching Plugging (Duty : AC 4)		
	200-240V	380-440V	500-550V	690V	200-240V	380-440V	
	kW / A	kW / A	kW / A	kW / A	kW / A	kW / A	
GMC-9	2.5/11	4/9	4/7	4/5	1.5/8	2.2/6	20
GMC-12	3.5/13	5.5/12	7.5/12	7.5/9	2.2/11	4/9	20
GMC-18	4.5/18	7.5/18	7.5/13	7.5/9	3.7/18	4/9	25
GMC-22	5.5/22	11/22	15/22	15/18	3.7/18	5.5/13	32
GMC-32	7.5/32	15/32	18.5/28	18.5/20	4.5/20	7.5/17	50
GMC-40	11/40	18.5/40	22/32	22/23	5.5/25	11/24	60
GMC-50	15/55	22/50	30/43	30/28	7.5/35	15/32	80
GMC-65	18.5/65	30/65	33/60	33/35	11/50	22/47	100
GMC-75	22/75	37/75	37/64	37/42	13/55	25/52	110
GMC-85	25/85	45/85	45/75	45/45	15/65	30/62	135
GMC-100	30/105	55/105	55/85	55/65	19/80	37/75	150
GMC-125	37/125	60/120	60/90	60/70	22/93	45/90	150
GMC-150	45/150	75/150	90/140	90/100	30/125	55/110	200
GMC-180	55/180	90/180	110/180	110/120	37/150	75/150	230
GMC-220	75/250	132/250	132/200	132/150	45/180	90/180	260
GMC-300	90/300	160/300	160/250	200/220	55/220	110/220	350
GMC-400	125/400	220/400	225/350	250/300	75/300	150/300	420
GMC-600	190/630	330/630	330/500	330/420	110/400	200/400	660
GMC-800	220/800	440/800	500/720	500/630	160/630	300/630	800

Type	Drawing No.	Type	Drawing No.
GMC-9	MC009C11JA(E) ~ MC009C22HP(E)	GMC-100	MS125 0101 ~ 136
GMC-12	MC012C11JA(E) ~ MC012C22HP(E)	GMC-125	MS125 0201 ~ 236
GMC-18	MC018C11JA(E) ~ MC018C22HP(E)	GMC-150	MS150 0101 ~ 136
GMC-22	MC022C11JA(E) ~ MC022C22HP(E)	GMC-180	MS220 0101 ~ 136
GMC-32	MC032C11JA(E) ~ MC032C22HP(E)	GMC-220	MS220 0201 ~ 236
GMC-40	MC040C11JA(E) ~ MC040C22HP(E)	GMC-300	MS400 0101 ~ 134
GMC-50	MC050C11JA(E) ~ MC050C22HP(E)	GMC-400	MS400 0201 ~ 234
GMC-65	MC065C11JA(E) ~ MC065C22HP(E)	GMC-600	MS800 0101 ~ 135
GMC-75	MC075C11JA(E) ~ MC075C22HP(E)	GMC-800	MS800 0201 ~ 235
GMC-85	MC085C11JA(E) ~ MC085C22HP(E)		

< The end >

Appendix 1

Product Description and/or Approval Condition

Certificate No : TJN00429-EL010

Date of Approval : 5th December, 2000.

Product Description :

Type	Rated Capacity(kW) & Current(A)						Continuous Current (lth)
	3 phase Squirrel Motor (Duty : AC 3)				3 phase Squirrel Motor Inching Plugging (Duty : AC 4)		
	200-240V	380-440V	500-550V	690V	200-240V	380-440V	
	kW / A	kW / A	kW / A	kW / A	kW / A	kW / A	
GMD-9	2.5/11	4/9	4/7	4/5	1.5/8	2.2/6	20
GMD-12	3.5/13	5.5/12	7.5/12	7.5/9	2.2/11	4/9	20
GMD-18	4.5/18	7.5/18	7.5/13	7.5/9	3.7/18	4/9	25
GMD-22	5.5/22	11/22	15/22	15/18	3.7/18	5.5/13	32
GMD-32	7.5/32	15/32	18.5/28	18.5/20	4.5/20	7.5/17	50
GMD-40	11/40	18.5/40	22/32	22/23	5.5/25	11/24	60
GMD-50	15/55	22/50	30/43	30/28	7.5/35	15/32	80
GMD-65	18.5/65	30/65	33/60	33/35	11/50	22/47	100
GMD-75	22/75	37/75	37/64	37/42	13/55	25/52	110
GMD-85	25/85	45/85	45/75	45/45	15/65	30/62	135

Type	Drawing No.
GMC-9	MC009C11DA(E) ~ MC009C22DV(E)
GMC-12	MC012C11DA(E) ~ MC012C22DV(E)
GMC-18	MC018C11DA(E) ~ MC018C22DV(E)
GMC-22	MC022C11DA(E) ~ MC022C22DV(E)
GMC-32	MC032C00DA(E) ~ MC032C22DV(E)
GMC-40	MC040C00DA(E) ~ MC040C22DV(E)
GMC-50	MC050C00DA(E) ~ MC050C22DV(E)
GMC-65	MC065C00DA(E) ~ MC065C22DV(E)
GMC-75	MC075C00DA(E) ~ MC075C22DV(E)
GMC-85	MC085C00DA(E) ~ MC085C22DV(E)

< The end >